

Work Order ID **149809*****149809***

Page 1

Wednesday, August 03, 2016 2:07:08 PM

Item ID: D2933-2PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle RH In, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: DAS Date: **AUG 03 2016** Tooling: _____ Date: _____ Run Start ***NR1***
QC: 21 Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***
9-89

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2933	Rev C								
100	HAAS CNC VERTICAL MACHINING #1	0.05				6	0		DAS 44 9-89 16-08-30
100									
HAAS 1	Memo	0.85							DAS 20 9-89 16-08-31
HAAS CNC vertical machine #1	Program part number and batch number.								
	1-Inspect part number and batch number are programmed correctly.								
	2-Machine Step No 1 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet								
	3-Machine Step No 2 of Folio and visually inspect as per								
110	CONVENTIONAL MILLING MACHINE	0.00				6	0		DAS 20 9-89 16-08-31
110									
Mill Conv	Memo	0.08							
Conventional Milling Machine	Machine Keyway and inspect per attached dimension sheet								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework Scrap Use-as-is Suspected Unapproved		AGAINST DEPARTMENT/PROCESS Skid-tube Machining Thermoforming Large Fab Cross tube Small Fab Finishing Composite Water Jet Prod. Eng. Coord. Rec/Store/Packaging Supplier Engineering Quality Other					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment Design Doc/Data Equip/Tooling Handling/Pre Material Internal Transport Tribal Knowledge LOA Substation Past Expiry Date Misidentified No Re-verification Operator Offset/Setup Supplier Training Use for Testing Poor Information Rushing Product Improvement Process Improvement Manufacturing Process Past Due		FAULT CATEGORY Pressure/Forced Bending Centre Not Concentric Cracks Crimp/Kink/Ripple/Wave Cuffs Crushing Heat Treat Wave/Twist in Tube Marks/Chatter Temperature/Cure Set-up BOM/Route Broken/Damage/Defect Inspection Incomplete/Unqualified Contamination Countersink Cut Too Short Instructions Incomplete/Unclear Drill Holes Power Loss/Surge Folio/Program Grain Weld Wrong Stock Pulled Out of Sequence Off-set Mislabeled Fit/Function Misaligned/off center Positioned Wrong Outside Dimensions Over/Under tolerance Part Incorrect Part Lost/Missing Part Moved Drawing Finish Misread Turning Sequence							
OTHER :									

Work Order ID 149809

Wednesday, August 03, 2016 2:07:08 PM

149809

Page 2

Item ID: D2933-2PHI

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle RH In, 206

Start Date: 7/22/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 8/3/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC1- Inspection performed by CMM  Memo	0.00 0.00							
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.02				6			2016-9-1
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.05							2016-09-01 BEB.

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 149809

Wednesday, August 03, 2016 2:07:08 PM

149809

Page 3

Item ID: D2933-2PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle RH In, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150		0.00							
150						6			
SprayPaint	Memo	0.00							
Spray Painting	1- PRIME INSIDE AND OUT AS PER DWG AND QSI 005 4.2.1.3.3 PRIMER PRC DESOTO 515X349 BATCH: <u>135929</u>								11/12/12
	2- PAINT BLACK AS PER DWG AND QSI 005 4.2.2 USING CA8213/F3738 CAMOFLAGE BLACK PAINT BATCH: <u>135300</u>								
160	QC14- Inspect Spray Paint	0.00							
160						6			
QC	Memo	0.01							
Quality Control									DAS 38 9-89 DEC 13 2016
170	Identify as per dwg & Stock Location: <u>51405</u>	0.00							
170						6			
Packaging	Memo	0.01							
Packaging									DAS 6 9-89 DEC 1 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under toleran ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : _____					

Work Order ID 149809

Wednesday, August 03, 2016 2:07:08 PM

149809

Page 4

Item ID: D2933-2PHI

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle RH In, 206

Start Date: 7/22/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 8/3/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.10

Quality Control



DEC 14 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Wednesday, August 03, 2016 2:07:08 PM

Page 1

Work Order ID: 149809

149809

Parent Item: D2933-2PHI

D2933-2PHI

Parent Item Name: Saddle RH In, 206

Start Date: 7/22/2016

Required Date: 8/3/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP: B00.06.26New DWG rev, (mpp 2069)EC
IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-003		Manufactured	No			100	Each	66.0000	1	6			
-----------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D6101-003

Saddle Billet, 7075

B.P 16/08/28

Location

Loc Qty

Loc Code

MAT040

15

145263

15

MAT046

51

142007

1

146890

20

147659

30

→ 145262

6.0

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DART AEROSPACE LTD	Work Order:	149809
Description: 206 Saddle, Inboard, Right side	Part Number:	D2933-2
Inspection Dwg: D2933 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2933 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		.126	.124	.124	.124		
B	0.100	0.140		.128	.124	.125	.124		
C	0.100	0.140		.115	.110	.111	.110		
D	0.210	0.230		.225	.228	.228	.227		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		.512	.512	.512	.512		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.258	.258	.258	.258		
L	0.312	0.317		.314	.314	.314	.314		
M	0.235	0.240		.238	.236	.237	.237		
N	0.100	0.140		.119	.119	.119	.118		
O	0.540	0.560		.546	.551	.552	.551		
P	0.490	0.510		.498	.499	.494	.495		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.470	2.510		2.492	2.492	2.492	2.492		
S	0.240	0.270		.255	.257	.256	.257		
T	0.100	0.180		.130	.130	.130	.130		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.316	.316	.316	.316		
X	1.125	1.145		1.134	1.135	1.135	1.135		
Y	1.565	1.585	DT8695 A/B	1.574	1.575	1.575	1.575		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by:	20
Date:	16-08-31

Audited by:	JL
Date:	16-9-1

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order: 149809
Description: 206 Saddle, Inboard, Right side	Part Number: D2933-2
Inspection Dwg: D2933 Rev. C	Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing D2933 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	5A	6A	X	X	By	Date
A	0.100	0.140		.125	.125				
B	0.100	0.140		.124	.125				
C	0.100	0.140		.110	.110				
D	0.210	0.230		.228	.227				
E	1.245	1.255		1.250	1.250				
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.500				
H	0.510	0.515		.512	.512				
I	1.572	1.582		1.577	1.577				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		.258	.258				
L	0.312	0.317		.314	.314				
M	0.235	0.240		.236	.236				
N	0.100	0.140		.118	.118				
O	0.540	0.560		.552	.552				
P	0.490	0.510		.493	.494				
Q	3.715	3.725		3.720	3.720				
R	2.470	2.510		2.492	2.492				
S	0.240	0.270		.257	.257				
T	0.100	0.180		.130	.130				
U	1.625	1.635		1.630	1.630				
V	1.362	1.372		1.367	1.367				
W	0.316	0.321		.316	.316				
X	1.125	1.145		1.135	1.135				
Y	1.565	1.585	DT8695 A/B	1.575	1.575				
Z	0.178	0.198		.188	.188				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by:	20 9-89
Date:	16-08-31



Audited by:	JL
Date:	16-9-1

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	



D2933-1 LH SADDLE (SHOWN)
D2933-2 RH SADDLE (OPPOSITE)

- NOTES:**
- 1) MATERIAL: ALUMINUM 7075-T7351 (90-A-250/12)
(MAKE FROM D6101-001 SADDLE BULLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
 - 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 149809 M3
 160803

RELEASED


07-02-12

COPYRIGHT © 1988 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
 AND IS SUPPLIED ON THE EXPRESS CONDITION
 THAT IT IS NOT TO BE USED FOR ANY PURPOSE
 OR COPIED OR COMMUNICATED TO ANY OTHER
 PERSON WITHOUT WRITTEN PERMISSION FROM
 DART AEROSPACE USA, INC.

C	06.11.09	RD.188 WAS RD.30 TO RD.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	4	DRAWN BY CB
CHECKED	At	APPROVED
DATE	06.11.09	TITLE
		SADDLE INSIDE
		REV. C
		D2933
		SHEET 1 OF 1
		SCALE
		2:3




DART AEROSPACE USA, INC.
 BELLEVUE, WA



D2933-1 LH SADDLE (SHOWN)
D2933-2 RH SADDLE (OPPOSITE)

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
 (MAKE FROM D6101-001 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	BY	DRAWN BY
CHECKED	PH	CB
DATE	06.11.09	TITLE
		SADDLE INSIDE
		REV. C
		SHEET 1 OF 1
		SCALE
		2:3

COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
 AND IS SUPPLIED ON THE EXPRESS CONDITION
 THAT IT IS NOT TO BE USED FOR ANY PURPOSE
 OR COPIED OR COMMUNICATED TO ANY OTHER
 PERSON WITHOUT WRITTEN PERMISSION FROM
 DART AEROSPACE USA, INC.

DART DART AEROSPACE USA, INC.
 BELLEVUE, WA

DRAWING NO.
D2933

07.02.12